

**THIELE**

Hersteller: THIELE GmbH & Co. KG  
 Postfach 8040 D-68618 Iserlohn X  
 Telefon: (+49) / (0) 23 71 / 947 - 0  
 Fax: (+49) / (0) 23 71 / 947 - 241  
 Email: info@thiele.de

Prüfbescheinigung DIN EN 10204  
 Inspection documents DIN EN 10204  
 Documents de contrôle DIN EN 10204  
 Certificado de test segun DIN EN 10204

Nr. / No. / N° / N°: 10204-2.2

266561

Goforth Corporation SDN BHD  
 Kawasan Perindustrian Sungai Kapang  
 No.6 Jalan Wawasan 3/KU7  
 MAL 42200 KLANG, Selangor Darul

Bestell-Nr. / Order-No. / N° de commande. / N° de la orden del pedido:

PO1

Auftrags-Nummer / Our order-No. / Notre  
 N° de commande / N° de pedido:

1006238/290

Chiffre-Nr. / Works-No. /  
 N° de chiffre / N° de lote no:

5294

Bezeichnung / Designation / Désignation / Denominación:

CHAIN ACC. TO DIN EN 818-2-8  
 DIAM. 20 X 60 MM WITH H4-STAMP

Stückzahl / Number / Nombre de pièce(s)  
 / Número de pieza(s):

100.000 M 0

Artikel-Nr. / Part-No. / N° de l'article /  
 N° do artículo:

F01495

QUALITÄTSSYSTEM NACH DIN EN ISO 9001 CERTIFIZIERT  
 CONTROLLED QUALITY SYSTEM ACCORDING ISO 9001  
 SYSTEMES QUALITE EST CERTIFIEE SELON EN ISO 9001  
 SISTEMA DE CONTROL DE CALIDAD ACORDE CON ISO 9001

Herstellerzeichen / Manufacturer's mark / Marque du fabricant /  
 Marca del fabricante

H4-8 ADP

Werks-Nr. / Identification-No. / N° d'usine /  
 N° de identificación:

11911

Bruchdehnung A / Elongation at  
 break A / Elongation tot. à la rupt. A /  
 Alargamiento à la rotura A:

20

%

Werkstoff / Material /  
 Matériaux / Material de  
 fabricación:  
 DIN 17115

Tragfähigkeit WLL / Working load  
 limit WLL / Charge utilisation WLL /  
 Carga de trabajo WLL:

12,5 T kg

Fertigungsprüfkraft MPF, 1)  
 Manufacturing proof force MPF, 1)  
 Force d'épreuve de fabrication MPF, 1)  
 Test de estuerzo final MPF, 1):

314

KN

Bruchkraft BF / Breaking force BF /  
 Force de rupture BF / Fuerza de  
 rotura BF:

503

KN



Dieses Prüfzeichen gilt für Ketten zum Heben  
 (nach DIN 5684, DIN EN 818, DIN 32891 u.ä.) und  
 Kettenzubehörteile (nach DIN 5691, EN 1677).  
 This approval mark applies to lifting chains (to DIN  
 5684, DIN EN 818, DIN 32891 etc.) and chain  
 accessories (to DIN 5691, EN 1677).  
 Ce signe de contrôle est seulement valable pour les  
 chaînes destinées au levage (selon DIN 5684, DIN  
 EN 818, DIN 32891 et autres) et les accessoires pour  
 chaînes (selon DIN 5691, EN 1677).  
 Este símbolo de certificación se utiliza para cadenas  
 de elevación (según DIN 5684, DIN EN 818, DIN  
 32891, etc.) y accesorios de cadenas (según DIN  
 5691, EN 1677).

Ergebnis der Prüfung / Result of tests / Résultat du test / Resultado del test:

OHNE BEANSTANDUNG / Without any objections / Sans réclamation / Sin objecion

- 1) Prüfabschnitte MPF<sub>1</sub> bis MPF<sub>4</sub> gemäß EN 818-4, Tabelle 4  
 1) Manufacturing proof force MPF<sub>1</sub> to MPF<sub>4</sub> according EN 818-4, Table 4  
 1) Sections de contrôle MPF<sub>1</sub> à MPF<sub>4</sub> selon EN 818-4, Tableau 4  
 1) Tramos comprobados MPF<sub>1</sub> hasta MPF<sub>4</sub> según EN 818-4, Tabla 4

Prüfabschnitt / Test Segment Section de contrôle / Tramo comprobado	Faktor / Factor Factor / Factor
MPF <sub>1</sub>	2,5
MPF <sub>2</sub>	3,5
MPF <sub>3</sub>	4,0
MPF <sub>4</sub>	5,25

30.07.10

Datum / Date / Date / Fecha: 30.07.10  
 Abnahmebeauftragter / Signature of the tester / Quality management  
 Signature du contrôleur du Service de Qualité  
 Firma del comprobador / Dirección de calidad

F01494 1.000 M KETTE EN 818-2-8-20X60 NSW

CERTIFIED TRUE COPY

P/O NO. : 314/SP/10-10-01

D/O NO. : 03578

DATE : 11-10-10



# Certificate of Test and Examination

PWB ANCHOR LIMITED ABN 28 004 235 732

441 Grimshaw Street, Bundoora  
Victoria, Australia 3083  
Postal Address:  
P.O. Box 77, Bundoora, Vic. 3083  
Email: pwbsales@pwbanchor.com.au  
Sales Direct: (03) 9473 8270  
Reception: (03) 9467 2933  
Facsimile: (03) 9467 7290



Certificate Number V0135545-15

Date 27-May-08

Sales Order Number 00378298

Customer GOFORTH CORPORATION SDN BHD  
NO 2 JALAN SUNGAI BETING 2 OFF JALA  
42100 KLANG SELANGOR DARUL EHSAN  
MALAYSIA

Order Number 13092

Date 22-Apr-08

Customer Number 1261

Part Number	:	40841	
Description	:	20 PWB-8 COUPLER CONNECTOR	EA
Quantity	:	200	
Proof Load	:	245.2kN	
Break Load	:	490kN	
Elongation (%)	:	Not Applicable	
Reference <sup>(3)</sup>	:	AS3776 (GRADE T/80)	
Identification <sup>(4)</sup>	:	6A	

100% PROOF TESTED

VERIFIED TRUE COPY  
 WO NO. : 210/SP/10-10-01  
 WO NO. : 0358  
 DATE : 11-10-10

Notes:

1. Test Certificates issued by PWB Anchor Limited, are valid only in respect of products in the condition in which they leave the company's premises, and should not be reproduced except in full.
2. Tests are conducted in accordance with PWB Anchor Limited Standard Operating Procedures.
3. Reference denotes the applicable document which nominates the relevant minimum Elongation, Proof Load and Break Load.
4. Identification is either a Lot, Batch, Serial, or Work Order Number as applicable to the goods described.

ORIGINAL

AUTHORISED SIGNATURE .....



# Certificate of Test and Examination

PWB ANCHOR LIMITED ABN 28 004 235 732

441 Grimshaw Street, Bundoora  
Victoria, Australia 3083  
Postal Address:  
P.O. Box 77, Bundoora, Vic. 3083  
Email: pwbsales@pwbanchor.com.au  
Sales Direct: (03) 9473 8270  
Reception: (03) 9467 2933  
Facsimile: (03) 9467 7290



Quality  
Endorsed  
Company  
AS/NZS ISO 9001  
1:2001

Certificate Number V0163659-5

Date 28-Jun-10

Sales Order Number 00411591

Customer GOFORTH CORPORATION SDN BHD  
NO 6 JALAN WAWASAN 3/KU7 KAWASAN  
42200 KLANG SELANGOR DARUL EHSAN  
MALAYSIA

Order Number EMAIL 20100513

Date 13-May-10

Customer Number 1261

Part Number : 40499  
Description : 20 HERC ALLOY LATCHLOK HOOK  
Quantity : 30 EA  
Proof Load : 252kN  
Break Load : 503kN  
Elongation (%) : Not Applicable  
Reference <sup>(3)</sup> : AS3776 (GRADE T/80)  
Identification <sup>(4)</sup> : L1

100% PROOF TESTED  
WLL 12.5t

CERTIFIED TRUE COPY  
P/O NO. : 220/SP/10-10-01  
D/O NO. : 03578  
DATE : 11-10-10

Notes:

1. Test Certificates issued by PWB Anchor Limited, are valid only in respect of products in the condition in which they leave the company's premises, and should not be reproduced except in full.
2. Tests are conducted in accordance with PWB Anchor Limited Standard Operating Procedures.
3. Reference denotes the applicable document which nominates the relevant minimum Elongation, Proof Load and Break Load.
4. Identification is either a Lot, Batch, Serial, or Work Order Number as applicable to the goods described.

ORIGINAL

AUTHORISED SIGNATURE

*M. I. Wagenfeldt*